



RIVEDIC EXCLUSIVE PAINT MADE IN ITALY By C. C







WHITE









OX - 21



OX - 23

OX - 24

COLORS FOR OX - 25 OX - 26 OX - 27 OX - 28 OX - 29 OX - 30 OX - 31 OX - 32 OX - 36 OX - 35 OX - 33 OX - 34 OX - 37 OX - 38 OX - 39 **OX - 40**

OX - 43


OX - 44

OX - 41

OX - 42



BROKEN BÉTON – OX 53





STRUCTURA HI-TECH BRONZO - 0X 22 + 0X 53 - Stencil



REQUIRED KIT FOR OXYDA WALL





PROTECTIVES











SCUDO M (MATT/SATIN/GLOSSY) KG 1 - KG 2,5 Based on the desired effect





YIELD 8-10 M²

D) ACCORDING TO T° 24-36 H

*In case of tiles, and where necessary, use FONDO OXYDA + mesh as the first coat and then proceed with the first coat of OXYDA









OR

RIVEDIL

SCUDOM

SCUDO M GLOSSY + SCUDO M according to the desired effect (MATT/SATIN/GLOSSY)* KG 1 - KG 2.5

READY TO

YIELD 8-10 M²



WATER 10-15% 1° COAT READY TO USE 2° COAT

YIELD 1 KG 8-10 M²





OXYDA EXTREME SURFACE

REV. 05 -10/04/2025

(BATHROOMS, SHOWERS, BUSINESS OFFICES, ETC.).























ACCORDING TO T° 36-48 H

OXYDA FINISH HYBRID 1 L – 5 L

*When finishing with SCUDO M it is recommended to apply the first coat with SCUDO M GLOSSY and then proceed with the second coat of SCUDO M according to the desired effect (GLOSSY, MATT, SATIN).

IN CASE OF POOLS, CONTACT THE COMPANY DIRECTLY FOR A BETTER EVALUATION OF THE APPLICATION PROCEDURE TO BE PERFORMED TAKING INTO ACCOUNT THE STATUS OF THE PRE-EXISTING SUPPORT

FOR A SMOOTHER AND WASHABLE SURFACE





















WATER 10-15% 1° COAT READY TO USE 2° COAT





ACCORDING To T° 24–36 H









DECORAZIONI RIVEDIL s.r.l.
VIA PROVINCIALE SALICE-VEGLIE 1 KM 0,500
73015 SALICE SALENTINO (LE – ITALY) – TEL. (0)832 731293
INFO@RIVEDIL.IT – EXPORT@RIVEDIL.COM

WWW.RIVEDIL.COM

